

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	8617	partition\$3 same rout\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/20 08:42
L2	449	(partition\$3 same rout\$4) and diagonal and stor\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/20 08:42
L3	449	((partition\$3 same rout\$4) and diagonal and stor\$4) and rout\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/20 08:42
L4	300	((((partition\$3 same rout\$4) and diagonal and stor\$4) and rout\$4) and region	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/20 08:42
L5	258	(((((partition\$3 same rout\$4) and diagonal and stor\$4) and rout\$4) and region) and (edge or shape)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/20 08:42
L6	231	(((((partition\$3 same rout\$4) and diagonal and stor\$4) and rout\$4) and region) and (edge or shape)) and path	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/20 08:42
L7	84	((((((partition\$3 same rout\$4) and diagonal and stor\$4) and rout\$4) and region) and (edge or shape)) and path) and "716"/\$. ccls.) and grid	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/20 08:42
L8	100	(partition\$3 same rout\$4) same diagonal	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/20 08:42
L9	77	((partition\$3 same rout\$4) same diagonal) and rout\$4 and (region or sub-region)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/20 08:42

L10	75	((partition\$3 same rout\$4) same diagonal) and rout\$4 and (region or sub-region)) and (edge or shape)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/20 10:25
L11	115	(((((partition\$3 same rout\$4) and diagonal and stor\$4) and rout\$4) and region) and (edge or shape)) and path) and "716"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/20 08:42
L12	1485506	(partition\$3 or til\$3 or tesslat\$3 or divi\$4 or block or shap\$4 or region) and ((set or two or several or plural\$3 or multi\$3) same (rout\$3 or edge\$2 or net or path))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/20 08:42
L13	13	L12 and 716/7-14	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/20 08:42
L14	5936	(partition\$3 or til\$3 or tesslat\$3 or divi\$4 or block or shap\$4 or region) and ((set or two or several or plural\$3 or multi\$3) same (rout\$3 or edge\$2 or net or path)) and "716"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/20 08:42
L15	5936	L12 and "716"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/20 08:42
L16	5936	L15 and ((@ad <"20011207") or (rlad <"20011207"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/20 08:42
L17	4041	L15 and ((@ad <"20011207") or (@rlad <"20011207"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/20 08:42
L18	2667	L15 and ((@ad <"20011207") or (@rlad <"20011207")) and rout\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/20 08:42
L19	1904	L15 and ((@ad <"20011207") or (@rlad <"20011207")) and rout\$4 and layout	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/20 08:42

L20	353	L15 and ((@ad <"20011207") or (@rlad <"20011207")) and diagonal	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/20 08:42
L21	272	L15 and ((@ad <"20011207") or (@rlad <"20011207")) and diagonal and rout\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/20 08:42
L22	0	(((partition\$3 same rout\$4) same diagonal) and rout\$4 and (region or sub-region)) and (edge or shape) and stor\$4 and operat\$4). CLM.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/20 10:27
L23	11	(((partition\$3 same rout\$4) same diagonal) and rout\$4 and (region or sub-region)) and (edge or shape) and stor\$4). CLM.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/20 10:28

INTERFERENCE

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L22	0	(((partition\$3 same rout\$4) same diagonal) and rout\$4 and (region or sub-region)) and (edge or shape) and stor\$4 and operat\$4). CLM.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/20 10:27